

**GOVERNMENT OF TELANGANA**  
**ABSTRACT**

Public Servants – Mission Bhagiratha Dept. – Allegations of irregularities in execution of the CPWS Scheme to Gadwal Constituency, Mahabubnagar District - Disciplinary proceedings initiated against Sri B.Rajeshwar Rao, the then Engineer-in-Chief, RWS&S (now retired) and Sri C.Anandam, the then Executive Engineer RWS&S Department now retired from Panchayat Raj Department - Further action dropped – Orders – Issued.

-----

PANCHAYAT RAJ & RURAL DEVELOPMENT (VIG.I) DEPARTMENT

**G.O.Rt.No. 483**

**Dated: 14-08-2019**

Read the following:-

1. From the General Administration (V&E) Dept. Alert Note No.79 (783/V&E/E2/2012), dt. 16.07.2012.
2. From the Chief Engineer, RWS&S, Hyderabad, Preliminary Enquiry Report dt. 17.09.2013 and dt. 16.01.2014.
3. G.O.Rt.No.454, PR&RD (Vig.I) Dept., dt.03.03.2014 r/w G.O.Ms.No.43, PR&RD (Vig.I) Dept., dt.03.03.2014.
4. G.O.Rt.No.457, PR&RD (Vig.I) Dept., dt.03.03.2014.
5. From Sri C. Anandam, SE, PR, Medak, Written Statement of Defence, dt.01.12.2014.
6. Govt. Memo No.19656/Vig.I/A1/2012-10, PR&RD (Vig.I) Dept., dt. 29.01.2015.
7. From the Engineer-in-Chief, RWS&S, Hyderabad Lr.No.Vig.2/RWS&S/10751/2012, dt. 27.07.2018.

\*\*\*

**ORDER:**

In the reference 3<sup>rd</sup> and 4<sup>th</sup> read above, disciplinary action has been initiated against Sri B. Rajeswara Rao, the then ENC, RWS&S, Hyderabad (Retd.) and Sri C. Anandam, the then EE, RWS&S, by way of issuing Articles of Charges under Rule 20 of A.P. Civil Services(CC&A) Rules, 1991, on the allegations of irregularities in execution of the CPWS Scheme to Gadwal Constituency, Mahabubnagar District with a direction to submit their written statement of defense against the Article of Charges.

2. In the reference 5<sup>th</sup> read above, Sri C. Anandam, SE, PR, Medak has submitted his Written Statement of Defence and Sri B. Rajeswara Rao, the then ENC, RWS&S, Hyderabad (Retd.) has not submitted his Written Statement of Defence.

3. In the references 6<sup>th</sup> read above, the Engineer-in-Chief, RWS&S, Hyderabad was requested to offer his specific remarks on the Written Statements of Defence submitted by the Charged Officer Sri C. Anandam, the then EE, RWS&S Department (Retired).

4. In the reference 7<sup>th</sup> read above, the Engineer-in-Chief, RWS&S, Hyderabad has informed that a committee was constituted for detailed investigation into the scheme and requested to furnish a detailed report on the above said allegations. The Committee in its detailed investigation report have concluded that the agency accepting the lapses, replaced the GRP Pipe line to DI Pipe line for pumping main at their cost and the pumping main was integrated to the Grid of Gadwal segment and functioning satisfactorily from the last (6) months.

5. After careful examination of the matter, it has been decided to drop further action and accordingly Government hereby drop further action against Sri B.Rajeshwar Rao, the then Engineer-in-Chief, RWS&S (now retired) and Sri C.Anandam, the then Executive Engineer RWS&S Department (now retired from Panchayat Raj Department) on the allegations of irregularities in execution of the CPWS Scheme to Gadwal Constituency, Mahabubnagar District.

(PTO)

//2//

6. The Engineer-in-Chief, RWS&S, Hyderabad/ Engineer-in-Chief, Panchayat Raj, Hyderabad shall take further necessary action in the matter, accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF TELANGANA)

SMITA SABHARWAL  
SECRETARY TO GOVERNMENT (MB) (FAC)

To

Sri B.Rajeshwar Rao, the then Engineer-in-Chief, RWS&S (now retired)  
through the Engineer-in-Chief, RWS&S, Hyderabad.

Sri C.Anandam, the then Executive Engineer RWS&S Department (now retired  
from PR Department) through the Engineer-in-Chief, RWS&S, Hyderabad.

The Engineer-in-Chief, RWS&S, Hyderabad.

The Engineer-in-Chief, Panchayat Raj, Hyderabad

Copy to:

The PR&RD (RWS.I) Dept.

The G.A.(V&E) Dept.

(w.r.t. Alert Note No.79 (783/V&E/E2/2012), dt. 16.07.2012.)

The Accountant General, Telangana, Hyderabad.

SF/SCs.

//FORWARDED ::BY ORDER//

SECTION OFFICER